



# Estimating Chart for Anchorplex™ Construction with Diamond Pro® Retaining Wall Systems No Slopes and No Surcharges




	Clay and Silt Soils $\phi = 26^\circ$ $\gamma = 120 \text{ pcf (19 kN/m}^3\text{)}$	Silty / Clayey Sand Soil $\phi = 30^\circ$ $\gamma = 120 \text{ pcf (19 kN/m}^3\text{)}$	Clean Sand and Gravel Soil $\phi = 34^\circ$ $\gamma = 120 \text{ pcf (19 kN/m}^3\text{)}$
4'-0" (1200 mm) 6 Courses	<p>1'-0" [300 mm]</p> <p>0.22 x Wall Length = CY of Structural Backfill</p>	<p>1'-0" [300 mm]</p> <p>0.22 x Wall Length = CY of Structural Backfill</p>	<p>1'-0" [300 mm]</p> <p>0.22 x Wall Length = CY of Structural Backfill</p>
6'-0" (1800 mm) 9 Courses	<p>1'-6" [450 mm]</p> <p>0.44 x Wall Length = CY of Structural Backfill</p>	<p>1'-0" [300 mm]</p> <p>0.33 x Wall Length = CY of Structural Backfill</p>	<p>1'-0" [300 mm]</p> <p>0.33 x Wall Length = CY of Structural Backfill</p>
8'-0" (2400 mm) 12 Courses	<p>2'-6" [750 mm]</p> <p>0.89 x Wall Length = CY of Structural Backfill</p>	<p>1'-6" [450 mm]</p> <p>0.59 x Wall Length = CY of Structural Backfill</p>	<p>1'-6" [450 mm]</p> <p>0.59 x Wall Length = CY of Structural Backfill</p>
10'-0" (3000 mm) 15 Courses	<p>3'-0" [900 mm]</p> <p>1.30 x Wall Length = CY of Structural Backfill</p>	<p>2'-0" [600 mm]</p> <p>0.93 x Wall Length = CY of Structural Backfill</p>	<p>2'-6" [750 mm]</p> <p>1.11 x Wall Length = CY of Structural Backfill</p>
12'-0" (3600 mm) 18 Courses	<p>4'-0" [1200 mm]</p> <p>2.00 x Wall Length = CY of Structural Backfill</p>	<p>3'-0" [900 mm]</p> <p>1.56 x Wall Length = CY of Structural Backfill</p>	<p>3'-0" [900 mm]</p> <p>1.56 x Wall Length = CY of Structural Backfill</p>

# Estimating Chart for Anchorplex™ Construction with Diamond Pro® Retaining Wall Systems 250 PSF Surcharge



	Clay and Silt Soils $\phi = 26^\circ$ $\gamma = 120 \text{ pcf (19 kN/m}^3\text{)}$	Silty / Clayey Sand Soil $\phi = 30^\circ$ $\gamma = 120 \text{ pcf (19 kN/m}^3\text{)}$	Clean Sand and Gravel Soil $\phi = 34^\circ$ $\gamma = 120 \text{ pcf (19 kN/m}^3\text{)}$
4'-0" (1200 mm) 6 Courses	<p>2'-6" [750 mm]</p> <p>0.44 x Wall Length = CY of Structural Backfill</p>	<p>1'-6" [450 mm]</p> <p>0.30 x Wall Length = CY of Structural Backfill</p>	<p>1'-4" [400 mm]</p> <p>0.27 x Wall Length = CY of Structural Backfill</p>
6'-0" (1800 mm) 9 Courses	<p>3'-6" [1050 mm]</p> <p>0.89 x Wall Length = CY of Structural Backfill</p>	<p>2'-0" [600 mm]</p> <p>0.56 x Wall Length = CY of Structural Backfill</p>	<p>1'-0" [300 mm]</p> <p>0.22 x Wall Length = CY of Structural Backfill</p>
8'-0" (2400 mm) 12 Courses	<p>4'-0" [1200 mm]</p> <p>1.33 x Wall Length = CY of Structural Backfill</p>	<p>2'-6" [750 mm]</p> <p>0.89 x Wall Length = CY of Structural Backfill</p>	<p>1'-6" [450 mm]</p> <p>0.44 x Wall Length = CY of Structural Backfill</p>
10'-0" (3000 mm) 15 Courses	<p>Wall design to be performed by a professional engineer</p>	<p>3'-0" [900 mm]</p> <p>1.30 x Wall Length = CY of Structural Backfill</p>	<p>2'-6" [750 mm]</p> <p>1.11 x Wall Length = CY of Structural Backfill</p>
12'-0" (3600 mm) 18 Courses	<p>Wall design to be performed by a professional engineer</p>	<p>3'-6" [1050 mm]</p> <p>1.78 x Wall Length = CY of Structural Backfill</p>	<p>3'-0" [900 mm]</p> <p>1.56 x Wall Length = CY of Structural Backfill</p>

# Estimating Chart for Anchorplex™ Construction with Diamond Pro® Retaining Wall Systems 3:1 Crest Slope



	Clay and Silt Soils $\phi = 26^\circ$ $\gamma = 120 \text{ pcf (19 kN/m}^3\text{)}$	Silty / Clayey Sand Soil $\phi = 30^\circ$ $\gamma = 120 \text{ pcf (19 kN/m}^3\text{)}$	Clean Sand and Gravel Soil $\phi = 34^\circ$ $\gamma = 120 \text{ pcf (19 kN/m}^3\text{)}$
4'-0" (1200 mm) 6 Courses	<p>2'-0" [600 mm]</p> <p>0.37 x Wall Length = CY of Structural Backfill</p>	<p>1'-0" [300 mm]</p> <p>0.22 x Wall Length = CY of Structural Backfill</p>	<p>1'-0" [300 mm]</p> <p>0.22 x Wall Length = CY of Structural Backfill</p>
6'-0" (1800 mm) 9 Courses	<p>3'-6" [1050 mm]</p> <p>0.89 x Wall Length = CY of Structural Backfill</p>	<p>1'-6" [450 mm]</p> <p>0.44 x Wall Length = CY of Structural Backfill</p>	<p>1'-0" [300 mm]</p> <p>0.33 x Wall Length = CY of Structural Backfill</p>
8'-0" (2400 mm) 12 Courses	<p>5'-6" [1650 mm]</p> <p>1.78 x Wall Length = CY of Structural Backfill</p>	<p>2'-6" [750 mm]</p> <p>0.89 x Wall Length = CY of Structural Backfill</p>	<p>1'-6" [450 mm]</p> <p>0.59 x Wall Length = CY of Structural Backfill</p>
10'-0" (3000 mm) 15 Courses	<p>Wall design to be performed by a professional engineer</p>	<p>3'-6" [1050 mm]</p> <p>1.48 x Wall Length = CY of Structural Backfill</p>	<p>2'-6" [750 mm]</p> <p>1.11 x Wall Length = CY of Structural Backfill</p>
12'-0" (3600 mm) 18 Courses	<p>Wall design to be performed by a professional engineer</p>	<p>4'-0" [1200 mm]</p> <p>2.00 x Wall Length = CY of Structural Backfill</p>	<p>3'-0" [900 mm]</p> <p>1.56 x Wall Length = CY of Structural Backfill</p>