

## Diamond Pro Stone Cut<sup>®</sup> and Vertica Stone Cut<sup>®</sup> WALL SYSTEMS

#### **PROJECT PROFILE**



More than 100,000 square feet of Diamond Pro Stone Cut<sup>®</sup> retaining walls circle the River Bluff high school campus.

# River Bluff High School LEXINGTON, SOUTH CAROLINA

#### PRODUCT

Diamond Pro Stone Cut<sup>®</sup> and Vertica Stone Cut<sup>®</sup> retaining wall systems

MANUFACTURER Southeastern Concrete Products Columbia, SC

WALL AREA 130,000 square feet

WALL DESIGNER Jon Huyck Anchor Wall Systems, Inc.

#### WALL CONTRACTOR

Harold Brock Brock Landscape Contractors, LLC Piedmont, SC

PROJECT MANAGER Dallas Gailey Cumming Corp.

**PROJECT CIVIL ENGINEER** Kevin Krick Genesis Consulting Group

#### THE CHALLENGE

The Lexington School District One in South Carolina secured 150 acres of densely wooded land with wetlands, a highly variable topography and a ravine to build a 524,000 square foot high school building, parking lots and athletic facilities. The size and location of the site were ideal but the extreme conditions required extensive development to make it a suitable building site.



One of the first walls built was a 48-foot-tall (30,000 sq. ft.) Diamond Pro Stone Cut® retaining wall.

#### THE SOLUTION

The key to transforming the site to make it construction-ready was building 24 retaining walls totaling 130,000 square feet.

"The River Bluff High School project could not have happened without the retaining walls," said Dallas Gailey, construction manager with Cumming Corp. "The site was unusable without the extensive site work." Added Kevin Krick, the design engineer with Genesis Consulting Group, "It was important to choose the right retaining wall. The Anchor systems were chosen for aesthetics and Anchor's ability to assist in structural design. Because of the size of the walls, we wanted an experienced team that would stand behind the product and design."

#### **DESIGN PARTNERS**

Anchor Wall Engineering worked closely with Genesis Consulting on designing the retaining walls and bridges. A ravine in the middle divided the site into two areas. The east side was developed for the school building. The athletic fields and complex were built on the west side. One of the first walls built was a 48-foot-tall (30,000 sq. ft.) Diamond Pro Stone Cut® retaining wall designed to support the school's main parking lot, which would be used as a staging area for materials needed to build the school. Another 100,000 square feet of retaining walls averaging twenty feet tall circle the campus (and also include walls designed to construct the land bridges to connect the campus).

The grade variations required moving more than one million cubic yards of dirt to level the site. Most of the onsite soils weren't suitable for retaining wall construction and 60,000 cubic yards of sand were hauled to the site to backfill the walls, a critical part of the design to insure long-term stability. To minimize the high cost of importing select sand, Anchor Wall Engineering prepared a design to incorporate some of the suitable on-site soil into the upper heights of the retaining walls.



Most of the onsite soils weren't suitable for retaining wall construction.

### Diamond Pro Stone Cut<sup>®</sup> and Vertica Stone Cut<sup>®</sup> WALL SYSTEMS

#### **AESTHETICS A PRIORITY**

The aesthetics of the campus were very important and the district even sought design input from the community. The three-level campus, which sits on a wooded hillside overlooking the lower Saluda River, is a source of community pride and is open to the community for hiking. "The retaining walls went hand-in-hand with the design," said Gailey. "They provide a beautiful look to the overall project."

The school district had the Diamond Pro Stone Cut<sup>®</sup> system installed on two other school sites before it was chosen for the River Bluffs project. The natural-looking face texture, colors and overall appearance of the system beat the look of uniform gray blocks typically found on massive retaining walls.

The football field prominently features Diamond Pro Stone Cut walls that support a raised pedestrian plaza and entrance to the arena. On the field, the highly visible walls flank the end zone and blend nicely with the materials used throughout the facility.

#### **PRODUCT SOLUTIONS**

The Diamond Pro Stone Cut system was ideal for a majority of the project but the Vertica Stone Cut<sup>®</sup> system was used to build three land bridges spanning the ravines.



Bridges were constructed with massive, 50-foot-wide arch culverts and the Vertica Stone Cut retaining wall system.



The Vertica Stone Cut<sup>®</sup> retaining wall system integrates with arch culverts to preserve wetlands and support three road bridges.

Arch culverts were placed in the ravine to protect the wetlands and the Vertica Stone Cut system was built around the culverts. The school district wanted to avoid a large ledge at the top of the arch that would have been created by the seven-degree setback of the Diamond Pro Stone Cut system, so the Vertica Stone Cut system was used because the system's two-degree batter integrates seamlessly with the culverts. Harold Brock of Brock Landscape Contractors, LLC, said wall construction around the culverts was exacting work as his crews used laser levels and skill to keep the courses of block level on each side of the huge, 50-foot-wide culverts. The tallest Vertica Stone Cut retaining wall built on this site reaches 42 feet.

The functional bridges also support the overall design of the campus because the Vertica Stone Cut system has the same face dimensions, texture and color of the Diamond Pro Stone Cut system, so the systems blend nicely together.



# Diamond Pro Stone Cut<sup>®</sup> and Vertica Stone Cut<sup>®</sup> WALL SYSTEMS

Diamond Pro Stone Cut<sup>®</sup> retaining walls gracefully flank the end zone and support an upper pedestrian plaza and entrance.



The primary use of the walls was site preparation but the finished walls received praise for overall appearance.

#### THE RESULT

**PROJECT PROFILE** 

A large, challenging site was transformed with retaining walls to prepare it for construction. Following completion of the River Bluff High School campus, the retaining walls support the aesthetic design as well as the critical roadway and pedestrian structures. "Visitors comment on how well the walls blend with the architecture and natural surroundings," said Jeff Salters, chief operations officer for Lexington School District One. "The walls enhance the overall campus and support the natural look we tried to preserve on the site."

©2014 Anchor Wall Systems, Inc. The Diamond Pro Stone Cut<sup>®</sup> and Vertica Stone Cut<sup>®</sup> retaining wall systems are manufactured under license from Anchor Wall Systems, Inc. (AWS). The "Anchor A" and "Anchor Build Something Beautiful" logos, "Diamond Pro Stone Cut" and "Vertica Stone Cut" are trademarks of AWS. The wall system blocks are covered by the AWS Limited Warranty. For a complete copy, visit your local dealer or see anchorwall.com.

Anchor Wall Systems, Inc., 5959 Baker Road, Suite 390, Minnetonka, MN 55345.

73.3896.1 01/14 4014

